

This Page Is Inserted by IFW Operations
and is not a part of the Official Record

BEST AVAILABLE IMAGES

Defective images within this document are accurate representations of the original documents submitted by the applicant.

Defects in the images may include (but are not limited to):

- BLACK BORDERS
- TEXT CUT OFF AT TOP, BOTTOM OR SIDES
- FADED TEXT
- ILLEGIBLE TEXT
- SKEWED/SLANTED IMAGES
- COLORED PHOTOS
- BLACK OR VERY BLACK AND WHITE DARK PHOTOS
- GRAY SCALE DOCUMENTS

IMAGES ARE BEST AVAILABLE COPY.

**As rescanning documents *will not* correct images,
please do not report the images to the
Image Problem Mailbox.**





FIGURE 1

Comparison of p-values for the differential expression of genes in 20-gene and housekeeping genes in the lung cancer study



hypoxanthine phosphoribosyltransferase I (HPRT1)

Figure 2

PCA separation of normal and lung cancer with expression profile of 20 genes




FIGURE 3

PCA Separation of normal and lung cancer with expression profile of 72 housekeeping genes




FIGURE 4

Potential confounding factor of patient's smoking status with selected 20 genes expression profile




Figure 5

Potential confounding factor of patient gender with selected 20 genes expression profile




FIGURE 6

Potential confounding factor of patient race with selected 20 genes expression profile




FIGURE 7

Potential confounding factor of patient medication with selected 20 genes expression profile




FIGURE 8




FIGURE 9